

PAMARK

MANIFOLDS LLC



PHONE:
(616) 456-6043

FAX:
(616) 456-8849

EMAIL:
SALES@PAMARKMANIFOLDS.COM

WWW.PAMARKMANIFOLDS.COM



PHONE: (616) 456-6043

FAX: (616) 456-8849

SALES@PAMARKMANIFOLDS.COM

Table of Contents

Table of Contents:

Hexagon Style Manifolds.....	3-4
Octagon Style Manifolds.....	5-6
Hexagon Clamps.....	7
Octagon Clamps.....	8
2-Port Square Manifolds.....	9-11
3-Port Square Manifolds.....	12-14
4-Port Square Manifolds.....	15-17
4-Port Square Manifolds.....	18-20
6-Port Square Manifolds.....	21-23
7-Port Square Manifolds.....	24-26
8-Port Square Manifolds.....	27-29

EMAIL: sales@PAMARKMANIFOLDS.com

FAX: (616) 456-8849

PHONE: (616) 456-6043

Additional information available on-line at **www.PAMARKMANIFOLDS.com**

RFQ's: Email or fax. Usually Processed in less than 24 hours

PAMARK MANIFOLDS is not responsible for any clerical, typographic or printing errors in this catalog




PHONE: (616) 456-6043

FAX: (616) 456-8849

SALES@PAMARKMANIFOLDS.COM

Single Row Inline Port Style 1



Manifold Style	Number of Ports	Port Size "F" (NPT)	"C" (Inches)	"D" (Inches)	Hex Size "A" (Inches)	Inlet Size "E" (NPT)	Length "B" (Inches)
A1	4	1/4"	2.25	2.00	1.75	1"	10.50
A1	8	1/4"	2.25	2.00	1.75	1"	18.50
B1	4	3/8"	2.50	2.00	2.50	1-1/2"	11.00
B1	8	3/8"	2.50	2.00	2.50	1-1/2"	19.00

How to Order


HEX Size ——— # # — # # — COLOR ——— SPECIFY Color
 A – 1.75
 B – 2.50
 NUMBER OF PORT ROWS NUMBER OF PORTS
 1 – Single Inlet
 2 – Double Offset
 Black
 Blue
 Green
 Red
 Purple
 Other
 Non-Anodized

www.PAMARKMANIFOLDS.COM • SALES@PAMARKMANIFOLDS.COM
 (616) 456-6043 • FAX: (616) 456-8849



PHONE: (616) 456-6043
 FAX: (616) 456-8849
 SALES@PAMARKMANIFOLDS.COM

Double Row Offset Port Style 2



Manifold Style	Number of Ports	Port Size "F" (NPT)	"C" (Inches)	"D" (Inches)	"E" (Inches)	Hex Size "A" (Inches)	Inlet Size "E" (NPT)	Length "B" (Inches)
A2	8	1/4"	1.75	2.00	1.00	1.75	1"	10.50
A2	16	1/4"	1.75	2.00	1.00	1.75	1"	18.50
B2	8	3/8"	2.00	2.00	1.00	2.50	1-1/2"	11.00
B2	16	3/8"	2.00	2.00	1.00	2.50	1-1/2"	19.00


How to Order

HEX Size ——— # # — # # — COLOR ——— SPECIFY Color
 A – 1.75
 B – 2.50
 NUMBER OF PORT ROWS NUMBER OF PORTS
 1 – Single Inlet
 2 – Double Offset
 Black
 Blue
 Green
 Red
 Purple
 Other
 Non-Anodized

WWW.PAMARKMANIFOLDS.COM • SALES@PAMARKMANIFOLDS.COM
 (616) 456-6043 • FAX: (616) 456-8849



Single Row Inline Port Style 1



Manifold Style	Number of Ports	Port Size "F" (NPT)	"C" (Inches)	"D" (Inches)	Hex Size "A" (Inches)	Inlet Size "E" (NPT)	Length "B" (Inches)
C1	4	1/4"	2.25	2.00	1.50	3/4"	10.50
C1	8	1/4"	2.25	2.00	1.50	3/4"	18.50
D1	4	3/8"	2.50	2.00	2.25	1-1/4"	11.00
D1	8	3/8"	2.50	2.00	2.25	1-1/4"	19.00

HEX Size	##	- ## -	COLOR	SPECIFY Color
C – 1.50				Black
D – 2.25				Blue
				Green
NUMBER OF PORT ROWS				Red
1 – Single Inlet		NUMBER OF PORTS		Purple
2 – Double Offset				Other
				Non-Anodized

WWW.PAMARKMANIFOLDS.COM • SALES@PAMARKMANIFOLDS.COM
(616) 456-6043 • FAX: (616) 456-8849




PHONE: (616) 456-6043

FAX: (616) 456-8849

SALES@PAMARKMANIFOLDS.COM

Single Row Inline Port Style 1




Manifold Style	Number of Ports	Port Size "F" (NPT)	"C" (Inches)	"D" (Inches)	"E" (Inches)	Hex Size "A" (Inches)	Inlet Size "E" (NPT)	Length "B" (Inches)
C2	8	1/4"	1.75	2.00	1.00	1.50	3/4"	10.50
C2	16	1/4"	1.75	2.00	1.00	1.50	3/4"	18.50
D2	8	3/8"	2.00	2.00	1.00	2.25	1-1/4"	11.00
D2	16	3/8"	2.00	2.00	1.00	2.25	1-1/4"	19.00

How to Order



HEX Size _____ # # - # # - COLOR _____ SPECIFY Color
 C - 1.50 _____
 D - 2.25 _____
 NUMBER OF PORT ROWS _____ NUMBER OF PORTS _____
 1 - Single Inlet
 2 - Double Offset
 Black
 Blue
 Green
 Red
 Purple
 Other
 Non-Anodized

www.PAMARKMANIFOLDS.COM • SALES@PAMARKMANIFOLDS.COM
 (616) 456-6043 • FAX: (616) 456-8849


Hex-Clamps





A-Clamp





B-Clamp



Oct-Clamps




C-Clamp




D-Clamp

2 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-2	1/8"	1.75	0.70	1.00	0.75	0	0.50	1/4"	0.170
SS-3-2	1/8"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
SS-4-2	1/4"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
SS-5-2	1/4"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
SS-6-2	3/8"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
SS-7-2	1/8"	3.25	0.70	1.00	1.50	0	0.88	1/4"	0.170
SS-8-2	1/8"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
SS-9-2	1/4"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
SS-10-2	1/4"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
SS-11-2	3/8"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
SS-12-2	1/4"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
SS-13-2	3/8"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
SS-14-2	1/2"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
SS-15-2	3/4"	6.00	1.62	2.25	3.00	0	1.50	1"	0.265
SS-16-2	1/4"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
SS-17-2	3/8"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
SS-18-2	1/2"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
SS-19-2	3/4"	6.00	2.68	3.44	3.00	0	1.50	1-1/2"	0.375

2 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-2	1/8"	1.75	0.70	1.00	0.75	0	0.50	1/4"	0.170
90-SS-3-2	1/8"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
90-SS-4-2	1/4"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
90-SS-5-2	1/4"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
90-SS-6-2	3/8"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
90-SS-7-2	1/8"	3.25	0.70	1.00	1.50	0	0.88	1/4"	0.170
90-SS-8-2	1/8"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
90-SS-9-2	1/4"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
90-SS-10-2	1/4"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
90-SS-11-2	3/8"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
90-SS-12-2	1/4"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
90-SS-13-2	3/8"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
90-SS-14-2	1/2"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
90-SS-15-2	3/4"	6.00	1.62	2.25	3.00	0	1.50	1"	0.265
90-SS-16-2	1/4"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
90-SS-17-2	3/8"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
90-SS-18-2	1/2"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
90-SS-19-2	3/4"	6.00	2.68	3.44	3.00	0	1.50	1-1/2"	0.375

2 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-2	1/8"	1.75	0.70	1.00	0.75	0	0.50	1/4"	0.170
180-SS-3-2	1/8"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
180-SS-4-2	1/4"	2.37	0.88	1.25	0.88	0	0.75	3/8"	0.200
180-SS-5-2	1/4"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
180-SS-6-2	3/8"	2.75	1.12	1.50	1.00	0	0.88	1/2"	0.200
180-SS-7-2	1/8"	3.25	0.70	1.00	1.50	0	0.88	1/4"	0.170
180-SS-8-2	1/8"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
180-SS-9-2	1/4"	3.25	0.88	1.25	1.50	0	0.88	3/8"	0.200
180-SS-10-2	1/4"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
180-SS-11-2	3/8"	3.25	1.12	1.50	1.50	0	0.88	1/2"	0.200
180-SS-12-2	1/4"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
180-SS-13-2	3/8"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
180-SS-14-2	1/2"	5.25	1.62	2.25	2.25	0	1.50	1"	0.265
180-SS-15-2	3/4"	6.00	1.62	2.25	3.00	0	1.50	1"	0.265
180-SS-16-2	1/4"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
180-SS-17-2	3/8"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
180-SS-18-2	1/2"	5.25	2.68	3.44	2.25	0	1.50	1-1/2"	0.375
180-SS-19-2	3/4"	6.00	2.68	3.44	3.00	0	1.50	1-1/2"	0.375

3 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-3	1/8"	2.50	0.70	1.00	0.75	0.75	0.50	1/4"	0.170
SS-3-3	1/8"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
SS-4-3	1/4"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
SS-5-3	1/4"	3.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
SS-6-3	3/8"	4.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
SS-7-3	1/8"	4.75	0.70	1.00	1.50	1.50	0.88	1/4"	0.170
SS-8-3	1/8"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
SS-9-3	1/4"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
SS-10-3	1/4"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
SS-11-3	3/8"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
SS-12-3	1/4"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
SS-13-3	3/8"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
SS-14-3	1/2"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
SS-15-3	3/4"	9.00	1.62	2.25	3.00	3.00	1.50	1"	0.265
SS-16-3	1/4"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
SS-17-3	3/8"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
SS-18-3	1/2"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
SS-19-3	3/4"	9.00	2.68	3.44	3.00	3.00	1.50	1-1/2"	0.375

3 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-3	1/8"	2.50	0.70	1.00	0.75	0.75	0.50	1/4"	0.170
90-SS-3-3	1/8"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
90-SS-4-3	1/4"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
90-SS-5-3	1/4"	3.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
90-SS-6-3	3/8"	4.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
90-SS-7-3	1/8"	4.75	0.70	1.00	1.50	1.50	0.88	1/4"	0.170
90-SS-8-3	1/8"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
90-SS-9-3	1/4"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
90-SS-10-3	1/4"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
90-SS-11-3	3/8"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
90-SS-12-3	1/4"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
90-SS-13-3	3/8"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
90-SS-14-3	1/2"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
90-SS-15-3	3/4"	9.00	1.62	2.25	3.00	3.00	1.50	1"	0.265
90-SS-16-3	1/4"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
90-SS-17-3	3/8"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
90-SS-18-3	1/2"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
90-SS-19-3	3/4"	9.00	2.68	3.44	3.00	3.00	1.50	1-1/2"	0.375

3 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-3	1/8"	2.50	0.70	1.00	0.75	0.75	0.50	1/4"	0.170
180-SS-3-3	1/8"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-4-3	1/4"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-5-3	1/4"	3.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-6-3	3/8"	4.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-7-3	1/8"	4.75	0.70	1.00	1.50	1.50	0.88	1/4"	0.170
180-SS-8-3	1/8"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-9-3	1/4"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-10-3	1/4"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-11-3	3/8"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-12-3	1/4"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-13-3	3/8"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-14-3	1/2"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-15-3	3/4"	9.00	1.62	2.25	3.00	3.00	1.50	1"	0.265
180-SS-16-3	1/4"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-17-3	3/8"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-18-3	1/2"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-19-3	3/4"	9.00	2.68	3.44	3.00	3.00	1.50	1-1/2"	0.375

4 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-4	1/8"	3.25	0.70	1.00	0.75	1.50	0.50	1/4"	0.170
SS-3-4	1/8"	4.12	0.88	1.25	0.88	1.75	0.75	3/8"	0.200
SS-4-4	1/4"	4.12	0.88	1.25	0.88	1.75	0.75	3/8"	0.200
SS-5-4	1/4"	4.75	1.12	1.50	1.00	2.00	0.88	1/2"	0.200
SS-6-4	3/8"	4.75	1.12	1.50	1.00	2.00	0.88	1/2"	0.200
SS-7-4	1/8"	6.25	0.70	1.00	1.50	3.00	0.88	1/4"	0.170
SS-8-4	1/8"	6.25	0.88	1.25	1.50	3.00	0.88	3/8"	0.200
SS-9-4	1/4"	6.25	0.88	1.25	1.50	3.00	0.88	3/8"	0.200
SS-10-4	1/4"	6.25	1.12	1.50	1.50	3.00	0.88	1/2"	0.200
SS-11-4	3/8"	6.25	1.12	1.50	1.50	3.00	0.88	1/2"	0.200
SS-12-4	1/4"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
SS-13-4	3/8"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
SS-14-4	1/2"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
SS-15-4	3/4"	12.00	1.62	2.25	3.00	6.00	1.50	1"	0.265
SS-16-4	1/4"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
SS-17-4	3/8"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
SS-18-4	1/2"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
SS-19-4	3/4"	12.00	2.68	3.44	3.00	6.00	1.50	1-1/2"	0.375

4 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-4	1/8"	3.25	0.70	1.00	0.75	1.50	0.50	1/4"	0.170
90-SS-3-4	1/8"	4.12	0.88	1.25	0.88	1.75	0.75	3/8"	0.200
90-SS-4-4	1/4"	4.12	0.88	1.25	0.88	1.75	0.75	3/8"	0.200
90-SS-5-4	1/4"	4.75	1.12	1.50	1.00	2.00	0.88	1/2"	0.200
90-SS-6-4	3/8"	4.75	1.12	1.50	1.00	2.00	0.88	1/2"	0.200
90-SS-7-4	1/8"	6.25	0.70	1.00	1.50	3.00	0.88	1/4"	0.170
90-SS-8-4	1/8"	6.25	0.88	1.25	1.50	3.00	0.88	3/8"	0.200
90-SS-9-4	1/4"	6.25	0.88	1.25	1.50	3.00	0.88	3/8"	0.200
90-SS-10-4	1/4"	6.25	1.12	1.50	1.50	3.00	0.88	1/2"	0.200
90-SS-11-4	3/8"	6.25	1.12	1.50	1.50	3.00	0.88	1/2"	0.200
90-SS-12-4	1/4"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
90-SS-13-4	3/8"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
90-SS-14-4	1/2"	9.75	1.62	2.25	2.25	4.50	1.50	1"	0.265
90-SS-15-4	3/4"	12.00	1.62	2.25	3.00	6.00	1.50	1"	0.265
90-SS-16-4	1/4"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
90-SS-17-4	3/8"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
90-SS-18-4	1/2"	9.75	2.68	3.44	2.25	4.50	1.50	1-1/2"	0.375
90-SS-19-4	3/4"	12.00	2.68	3.44	3.00	6.00	1.50	1-1/2"	0.375

4 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-4	1/8"	2.50	0.70	1.00	0.75	0.75	0.50	1/4"	0.170
180-SS-3-4	1/8"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-4-4	1/4"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-5-4	1/4"	3.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-6-4	3/8"	4.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-7-4	1/8"	4.75	0.70	1.00	1.50	1.50	0.88	1/4"	0.170
180-SS-8-4	1/8"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-9-4	1/4"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-10-4	1/4"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-11-4	3/8"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-12-4	1/4"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-13-4	3/8"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-14-4	1/2"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-15-4	3/4"	9.00	1.62	2.25	3.00	3.00	1.50	1"	0.265
180-SS-16-4	1/4"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-17-4	3/8"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-18-4	1/2"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-19-4	3/4"	9.00	2.68	3.44	3.00	3.00	1.50	1-1/2"	0.375

5 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-5	1/8"	4.00	0.70	1.00	0.75	2.25	0.50	1/4"	0.170
SS-3-5	1/8"	5.00	0.88	1.25	0.88	2.62	0.75	3/8"	0.200
SS-4-5	1/4"	5.00	0.88	1.25	0.88	2.62	0.75	3/8"	0.200
SS-5-5	1/4"	5.75	1.12	1.50	1.00	3.00	0.88	1/2"	0.200
SS-6-5	3/8"	5.75	1.12	1.50	1.00	3.00	0.88	1/2"	0.200
SS-7-5	1/8"	7.75	0.70	1.00	1.50	4.50	0.88	1/4"	0.170
SS-8-5	1/8"	7.75	0.88	1.25	1.50	4.50	0.88	3/8"	0.200
SS-9-5	1/4"	7.75	0.88	1.25	1.50	4.50	0.88	3/8"	0.200
SS-10-5	1/4"	7.75	1.12	1.50	1.50	4.50	0.88	1/2"	0.200
SS-11-5	3/8"	7.75	1.12	1.50	1.50	4.50	0.88	1/2"	0.200
SS-12-5	1/4"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
SS-13-5	3/8"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
SS-14-5	1/2"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
SS-15-5	3/4"	15.00	1.62	2.25	3.00	9.00	1.50	1"	0.265
SS-16-5	1/4"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
SS-17-5	3/8"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
SS-18-5	1/2"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
SS-19-5	3/4"	15.00	2.68	3.44	3.00	9.00	1.50	1-1/2"	0.375

5 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-5	1/8"	4.00	0.70	1.00	0.75	2.25	0.50	1/4"	0.170
90-SS-3-5	1/8"	5.00	0.88	1.25	0.88	2.62	0.75	3/8"	0.200
90-SS-4-5	1/4"	5.00	0.88	1.25	0.88	2.62	0.75	3/8"	0.200
90-SS-5-5	1/4"	5.75	1.12	1.50	1.00	3.00	0.88	1/2"	0.200
90-SS-6-5	3/8"	5.75	1.12	1.50	1.00	3.00	0.88	1/2"	0.200
90-SS-7-5	1/8"	7.75	0.70	1.00	1.50	4.50	0.88	1/4"	0.170
90-SS-8-5	1/8"	7.75	0.88	1.25	1.50	4.50	0.88	3/8"	0.200
90-SS-9-5	1/4"	7.75	0.88	1.25	1.50	4.50	0.88	3/8"	0.200
90-SS-10-5	1/4"	7.75	1.12	1.50	1.50	4.50	0.88	1/2"	0.200
90-SS-11-5	3/8"	7.75	1.12	1.50	1.50	4.50	0.88	1/2"	0.200
90-SS-12-5	1/4"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
90-SS-13-5	3/8"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
90-SS-14-5	1/2"	12.00	1.62	2.25	2.25	6.75	1.50	1"	0.265
90-SS-15-5	3/4"	15.00	1.62	2.25	3.00	9.00	1.50	1"	0.265
90-SS-16-5	1/4"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
90-SS-17-5	3/8"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
90-SS-18-5	1/2"	12.00	2.68	3.44	2.25	6.75	1.50	1-1/2"	0.375
90-SS-19-5	3/4"	15.00	2.68	3.44	3.00	9.00	1.50	1-1/2"	0.375

5 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-5	1/8"	2.50	0.70	1.00	0.75	0.75	0.50	1/4"	0.170
180-SS-3-5	1/8"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-4-5	1/4"	3.25	0.88	1.25	0.88	0.88	0.75	3/8"	0.200
180-SS-5-5	1/4"	3.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-6-5	3/8"	4.75	1.12	1.50	1.00	1.00	0.88	1/2"	0.200
180-SS-7-5	1/8"	4.75	0.70	1.00	1.50	1.50	0.88	1/4"	0.170
180-SS-8-5	1/8"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-9-5	1/4"	4.75	0.88	1.25	1.50	1.50	0.88	3/8"	0.200
180-SS-10-5	1/4"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-11-5	3/8"	4.75	1.12	1.50	1.50	1.50	0.88	1/2"	0.200
180-SS-12-5	1/4"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-13-5	3/8"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-14-5	1/2"	7.50	1.62	2.25	2.25	2.25	1.50	1"	0.265
180-SS-15-5	3/4"	9.00	1.62	2.25	3.00	3.00	1.50	1"	0.265
180-SS-16-5	1/4"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-17-5	3/8"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-18-5	1/2"	7.50	2.68	3.44	2.25	2.25	1.50	1-1/2"	0.375
180-SS-19-5	3/4"	9.00	2.68	3.44	3.00	3.00	1.50	1-1/2"	0.375

6 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-6	1/8"	4.75	0.70	1.00	0.75	3.00	0.50	1/4"	0.170
SS-3-6	1/8"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
SS-4-6	1/4"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
SS-5-6	1/4"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
SS-6-6	3/8"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
SS-7-6	1/8"	9.25	0.70	1.00	1.50	6.00	0.88	1/4"	0.170
SS-8-6	1/8"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
SS-9-6	1/4"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
SS-10-6	1/4"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
SS-11-6	3/8"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
SS-12-6	1/4"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
SS-13-6	3/8"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
SS-14-6	1/2"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
SS-15-6	3/4"	18.00	1.62	2.25	3.00	12.00	1.50	1"	0.265
SS-16-6	1/4"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
SS-17-6	3/8"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
SS-18-6	1/2"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
SS-19-6	3/4"	18.00	2.68	3.44	3.00	12.00	1.50	1-1/2"	0.375

6 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-6	1/8"	4.75	0.70	1.00	0.75	3.00	0.50	1/4"	0.170
90-SS-3-6	1/8"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
90-SS-4-6	1/4"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
90-SS-5-6	1/4"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
90-SS-6-6	3/8"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
90-SS-7-6	1/8"	9.25	0.70	1.00	1.50	6.00	0.88	1/4"	0.170
90-SS-8-6	1/8"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
90-SS-9-6	1/4"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
90-SS-10-6	1/4"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
90-SS-11-6	3/8"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
90-SS-12-6	1/4"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
90-SS-13-6	3/8"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
90-SS-14-6	1/2"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
90-SS-15-6	3/4"	18.00	1.62	2.25	3.00	12.00	1.50	1"	0.265
90-SS-16-6	1/4"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
90-SS-17-6	3/8"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
90-SS-18-6	1/2"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
90-SS-19-6	3/4"	18.00	2.68	3.44	3.00	12.00	1.50	1-1/2"	0.375

6 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-6	1/8"	4.75	0.70	1.00	0.75	3.00	0.50	1/4"	0.170
180-SS-3-6	1/8"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
180-SS-4-6	1/4"	5.88	0.88	1.25	0.88	3.50	0.75	3/8"	0.200
180-SS-5-6	1/4"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
180-SS-6-6	3/8"	6.75	1.12	1.50	1.00	4.00	0.88	1/2"	0.200
180-SS-7-6	1/8"	9.25	0.70	1.00	1.50	6.00	0.88	1/4"	0.170
180-SS-8-6	1/8"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
180-SS-9-6	1/4"	9.25	0.88	1.25	1.50	6.00	0.88	3/8"	0.200
180-SS-10-6	1/4"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
180-SS-11-6	3/8"	9.25	1.12	1.50	1.50	6.00	0.88	1/2"	0.200
180-SS-12-6	1/4"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
180-SS-13-6	3/8"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
180-SS-14-6	1/2"	14.25	1.62	2.25	2.25	9.00	1.50	1"	0.265
180-SS-15-6	3/4"	18.00	1.62	2.25	3.00	12.00	1.50	1"	0.265
180-SS-16-6	1/4"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
180-SS-17-6	3/8"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
180-SS-18-6	1/2"	14.25	2.68	3.44	2.25	9.00	1.50	1-1/2"	0.375
180-SS-19-6	3/4"	18.00	2.68	3.44	3.00	12.00	1.50	1-1/2"	0.375

7 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-7	1/8"	5.50	0.70	1.00	0.75	3.75	0.50	1/4"	0.170
SS-3-7	1/8"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
SS-4-7	1/4"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
SS-5-7	1/4"	7.75	1.12	1.50	1.00	4.38	0.88	1/2"	0.200
SS-6-7	3/8"	7.75	1.12	1.50	1.00	5.00	0.88	1/2"	0.200
SS-7-7	1/8"	10.75	0.70	1.00	1.50	5.00	0.88	1/4"	0.170
SS-8-7	1/8"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
SS-9-7	1/4"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
SS-10-7	1/4"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
SS-11-7	3/8"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
SS-12-7	1/4"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
SS-13-7	3/8"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
SS-14-5	1/2"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
SS-15-7	3/4"	21.00	1.62	2.25	3.00	15.00	1.50	1"	0.265
SS-16-7	1/4"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
SS-17-7	3/8"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
SS-18-7	1/2"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
SS-19-7	3/4"	21.00	2.68	3.44	3.00	15.00	1.50	1-1/2"	0.375

7 PORTS 90°




Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-7	1/8"	5.50	0.70	1.00	0.75	3.75	0.50	1/4"	0.170
90-SS-3-7	1/8"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
90-SS-4-7	1/4"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
90-SS-5-7	1/4"	7.75	1.12	1.50	1.00	4.38	0.88	1/2"	0.200
90-SS-6-7	3/8"	7.75	1.12	1.50	1.00	5.00	0.88	1/2"	0.200
90-SS-7-7	1/8"	10.75	0.70	1.00	1.50	5.00	0.88	1/4"	0.170
90-SS-8-7	1/8"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
90-SS-9-7	1/4"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
90-SS-10-7	1/4"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
90-SS-11-7	3/8"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
90-SS-12-7	1/4"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
90-SS-13-7	3/8"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
90-SS-14-5	1/2"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
90-SS-15-7	3/4"	21.00	1.62	2.25	3.00	15.00	1.50	1"	0.265
90-SS-16-7	1/4"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
90-SS-17-7	3/8"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
90-SS-18-7	1/2"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
90-SS-19-7	3/4"	21.00	2.68	3.44	3.00	15.00	1.50	1-1/2"	0.375

7 PORTS 180°




Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-7	1/8"	5.50	0.70	1.00	0.75	3.75	0.50	1/4"	0.170
180-SS-3-7	1/8"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
180-SS-4-7	1/4"	6.75	0.88	1.25	0.88	4.38	0.75	3/8"	0.200
180-SS-5-7	1/4"	7.75	1.12	1.50	1.00	4.38	0.88	1/2"	0.200
180-SS-6-7	3/8"	7.75	1.12	1.50	1.00	5.00	0.88	1/2"	0.200
180-SS-7-7	1/8"	10.75	0.70	1.00	1.50	5.00	0.88	1/4"	0.170
180-SS-8-7	1/8"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
180-SS-9-7	1/4"	10.75	0.88	1.25	1.50	7.50	0.88	3/8"	0.200
180-SS-10-7	1/4"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
180-SS-11-7	3/8"	10.75	1.12	1.50	1.50	7.50	0.88	1/2"	0.200
180-SS-12-7	1/4"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
180-SS-13-7	3/8"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
180-SS-14-5	1/2"	16.50	1.62	2.25	2.25	11.25	1.50	1"	0.265
180-SS-15-7	3/4"	21.00	1.62	2.25	3.00	15.00	1.50	1"	0.265
180-SS-16-7	1/4"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
180-SS-17-7	3/8"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
180-SS-18-7	1/2"	16.50	2.68	3.44	2.25	11.25	1.50	1-1/2"	0.375
180-SS-19-7	3/4"	21.00	2.68	3.44	3.00	15.00	1.50	1-1/2"	0.375

8 PORTS




Part No.	B	C	D	E	F	G	H	I	J
SS-2-8	1/8"	6.25	0.70	1.00	0.75	4.50	0.50	1/4"	0.170
SS-3-8	1/8"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
SS-4-8	1/4"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
SS-5-8	1/4"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
SS-6-8	3/8"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
SS-7-8	1/8"	12.25	0.70	1.00	1.50	9.00	0.88	1/4"	0.170
SS-8-8	1/8"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
SS-9-8	1/4"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
SS-10-8	1/4"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
SS-11-8	3/8"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
SS-12-8	1/4"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
SS-13-8	3/8"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
SS-14-8	1/2"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
SS-15-8	3/4"	24.00	1.62	2.25	3.00	18.00	1.50	1"	0.265
SS-16-8	1/4"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
SS-17-8	3/8"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
SS-18-8	1/2"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
SS-19-8	3/4"	24.00	2.68	3.44	3.00	18.00	1.50	1-1/2"	0.375

8 PORTS 90°



Part No.	B	C	D	E	F	G	H	I	J
90-SS-2-8	1/8"	6.25	0.70	1.00	0.75	4.50	0.50	1/4"	0.170
90-SS-3-8	1/8"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
90-SS-4-8	1/4"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
90-SS-5-5	1/4"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
90-SS-6-8	3/8"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
90-SS-7-8	1/8"	12.25	0.70	1.00	1.50	9.00	0.88	1/4"	0.170
90-SS-8-8	1/8"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
90-SS-9-8	1/4"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
90-SS-10-8	1/4"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
90-SS-11-8	3/8"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
90-SS-12-8	1/4"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
90-SS-13-8	3/8"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
90-SS-14-8	1/2"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
90-SS-15-8	3/4"	24.00	1.62	2.25	3.00	18.00	1.50	1"	0.265
90-SS-16-8	1/4"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
90-SS-17-8	3/8"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
90-SS-18-8	1/2"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
90-SS-19-8	3/4"	24.00	2.68	3.44	3.00	18.00	1.50	1-1/2"	0.375

8 PORTS 180°



Part No.	B	C	D	E	F	G	H	I	J
180-SS-2-8	1/8"	6.25	0.70	1.00	0.75	4.50	0.50	1/4"	0.170
180-SS-3-8	1/8"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
180-SS-4-8	1/4"	7.62	0.88	1.25	0.88	5.25	0.75	3/8"	0.200
180-SS-5-5	1/4"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
180-SS-6-8	3/8"	8.75	1.12	1.50	1.00	6.00	0.88	1/2"	0.200
180-SS-7-8	1/8"	12.25	0.70	1.00	1.50	9.00	0.88	1/4"	0.170
180-SS-8-8	1/8"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
180-SS-9-8	1/4"	12.25	0.88	1.25	1.50	9.00	0.88	3/8"	0.200
180-SS-10-8	1/4"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
180-SS-11-8	3/8"	12.25	1.12	1.50	1.50	9.00	0.88	1/2"	0.200
180-SS-12-8	1/4"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
180-SS-13-8	3/8"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
180-SS-14-8	1/2"	18.75	1.62	2.25	2.25	13.50	1.50	1"	0.265
180-SS-15-8	3/4"	24.00	1.62	2.25	3.00	18.00	1.50	1"	0.265
180-SS-16-8	1/4"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
180-SS-17-8	3/8"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
180-SS-18-8	1/2"	18.75	2.68	3.44	2.25	13.50	1.50	1-1/2"	0.375
180-SS-19-8	3/4"	24.00	2.68	3.44	3.00	18.00	1.50	1-1/2"	0.375



PHONE: (616) 456-6043

FAX: (616) 456-8849

SALES@PAMARKMANIFOLDS.COM

Custom Manifold Request

TYPE OF MANIFOLD –

Hexagon_____ Octagon_____ Square_____ Other_____

MATERIAL –

Aluminum_____ Stainless_____ Brass_____ Other_____

SIZE OF MANIFOLD – Inches_____ x Inches_____

INLET/OUTLET (SIZE) –

NPT (size)_____ SAE (size)_____ G (size)_____ Other_____

PORTS (SIZE) –

NPT (size)_____ SAE (size)_____ G (size)_____ Other_____

NUMBER OF PORTS – _____

ROW OF PORTS –

Single Inline_____ Double Offset_____

Single (SS)_____ 90 (90-SS)_____ 180 (180-SS)_____

FIRST PORT – _____ (Inches off the Ends)

DISTANCE BETWEEN PORTS – _____

MOUNTING HOLES (LOCATION) – No_____ Yes_____ (Location)

OR send a print...

EMAIL: sales@PAMARKMANIFOLDS.com

FAX: (616) 456-8849

RFQ's: Email or fax. Usually Processed in less than 24 hours

Additional information available on-line at

www.PAMARKMANIFOLDS.com

www.PAMARKMANIFOLDS.com • SALES@PAMARKMANIFOLDS.COM
(616) 456-6043 • FAX: (616) 456-8849

PAMARK MANIFOLDS LLC

Distributor:

EMAIL: SALES@PAMARKMANIFOLDS.COM

FAX: (616) 456-8849

PHONE: (616) 456-6043

ADDITIONAL INFORMATION AVAILABLE ON-LINE AT
WWW.PAMARKMANIFOLDS.COM

RFQ'S: EMAIL OR FAX. USUALLY PROCESSED IN LESS THAN
24 HOURS

PAMARK MANIFOLDS IS NOT RESPONSIBLE FOR ANY CLERICAL, TYPOGRAPHIC OR
PRINTING ERRORS IN THIS CATALOG